

# Receiving Report

Date: 14-11-8

Batch No M130830

Supplier: Aerospace

Dart P/O: 25937

Packing Slip: Yes ☒ No ☐  
 Invoice: Yes ☒ No ☐  
 Receipt: Cash ☐ Cr ☒  
 New Supplier Yes ☐ No ☒

Release Note Attached: Yes ☒ No ☐ N/A ☐  
 Waybill Attached: Yes ☒ No ☐  
 Shipment Complete: Yes ☒ No ☐ N/A ☐  
 QC18 Inspection ☐ N/A ☒  
 Work Order ☐ N/A ☒

Discrepancies

Part Number	Description	Quantity Ordered	Quantity Rec'd	Quantity Short	Quantity Inspected	Quantity Rejected	Comment / NCR Number

Initials of Receiver

QC12

*[Signature]*

Production/Admin: ☐  
 Date ☐  
 Received/Costing ☐  
 Initial ☐

Location ☐



API  
AEROSPACE  
PRODUCTS  
INTERNATIONAL  
2451 46th Ave.  
MACHINE QC H8T 3C9  
CANADA

Page 1 of 1  
11/04/2014,13:18:35

# Pack List



## Shipping Address

DART AEROSPACE LTD.  
1270 ABERDEEN STREET  
HAWKESBURY ON K6A 1K7  
CANADA

## Forwarding Agent's Address

## Shipping Instructions

Detailed Shipping Instructions at the  
end of the document

## Packing Instructions

Detailed Packing Instructions at the  
end of the document

## Information

Document Number	81188128
Document Date	11/03/2014
Purchase Order No.	PO 25937
Purchase Order Date	09/29/2014
Sales Order Number	1062386
Sales Order Date	09/29/2014
Customer Number	6100481
Shipping Conditions	Standard OtherGround
Incoterms	
Cust Ship Acct	
Delivery Date	11/04/2014
Bill of Lading	
Total Weight	1,200 LB
Total Volume	56,441.500 IN3
Carrier	WILL CALL

Item	Material	Material Description	Quantity	Weight	Batch Num
10	ROYCO950	ROYCO950 MIL-C-7024E, 343LB DRUM			
	HAZMAT Material Batches				
	0004578899 (PO:4500216911)	✓	3 EA	1,200 LB	

## Shipping and Packing Instructions

Please ship via Yellow Freight...collect.

MSDS required.

EXP: 7/31/2016

8014-11-8

## \*\* CERTIFICATE OF CONFORMANCE \*\*

I hereby certify that the aircraft parts described hereon were acquired from a source of supply that is consistent with the conditions under which Transport Canada distributor approval number 77-98 has been granted.

Authorized Signature

RW

AO#77-98  
API #11



**AEROSPACE  
PRODUCTS**  
INTERNATIONAL

API  
2461 46th Ave.  
LACHINE QC H8T 3C9  
CANADA  
Phone: 514-636-5720  
Fax: 514-636-6092  
GST # 143526788RT

## PRICING LIST

NUMBER 81188128	DATE 11/04/2014
--------------------	--------------------

PLEASE REMIT TO: PO Box Calgary AB T2P 2H6 REFER TO INVOICE NUMBER WHEN REMITTING
--

5101879

6100481

BILL TO DART AEROSPACE LTD.  
1270 ABERDEEN STREET  
HAWKESBURY ON K6A 1K7  
CANADA

SHIP TO DART AEROSPACE LTD.  
1270 ABERDEEN STREET  
HAWKESBURY ON K6A 1K7  
CANADA

Phone No: 613-632-9577

Page: 1

CUSTOMER PURCHASE ORDER NO. PO 25937		ORDER NO. / DELIVERY NO. 1062386 - 81188128				
SHIPPED VIA		DELIVERING PLANT API - Montreal		CARTONS 1		
QUANTITY		DESCRIPTION MATERIAL	U/M	LIST PRICE	UNIT PRICE	EXTENDED PRICE
ORDERED	SHIPPED					
3	✓	ROYCO950 MIL-C-7024E, 343LB DR ROYCO950	EA	1,839.19	1,319.27	3,957.81
		Item Total				3,957.81
		Canadian HST				514.52
8014-11-8						

**TOTAL**  
CAD

4,472.33



# PICKING TICKET

347941

ChemPoint.com Inc  
411 108th Ave NE Suite 1050  
Bellevue WA 98004  
Phone: 800.485.9589  
Fax: 425.378.8875  
Email: orders@chempoint.com

\*\*\* REPRINT \*\*\*

Ship To:
Aerospace Products International
8855 Commerce Dr Ste 105
Southaven MS 388717382
Country: US
Fax:
Phone :
Contact Person: Donna Naugle

CP Invoice No.	NA00378512
CP Order No.	2339077
Customer PO#	4500217064
Req Ship Date	10/27/2014
Req Delivery Date	10/29/2014
Doc Date	10/01/2014
Page No	1

01AX09871

3.0000	0120456	Freight Collect	Royco 950 Lubricant - 343 lb Drum	DR343LB
3-N Lot 0681000356 <del>XXXXXXXXXXXXXXXXXXXX</del>			Carrier Info Ship via : UPS FREIGHT Carrier : UPS FREIGHT Acct : 47082151 Phone# : Third Party Address:	
2.0000	0120454	Freight Collect	Royco C-201 Lubricant - 1.75 lb Can	CN1.75LB
2-CANS Lot 4076 <del>XXXXXXXXXXXXXXXXXXXX</del>			Carrier Info Ship via : UPS FREIGHT Carrier : UPS FREIGHT Acct : 47082151 Phone# : 0000000000000000 Third Party Address:	
			CO#: 13	
			PO#:	217064
			RCVD DATE	141029
Special Instructions				
COA/MSDS w/ shipment. PO 4500217064/product codes SKU 0120456 = ROYCO950 and SKU 0120454 = ROYCO-C201 on all p/p. Place placard on pallets to read "DO NOT DOUBLE STACK or TOPLOAD ONLY". Legible COAs MUST accompany shipment. Reach out to ChemPoint if COA is not available or too blurry to read.				

Please confirm order receipt via email to orders@chempoint.com with ship date.



Chemtura Corporation  
199 Benson Road  
MIDDLEBURY CT 06749  
USA

Ship To  
CHEMPOINT  
C/O TOTAL DISTRIBUTION  
401 PLANT RD  
NITRO WV 25143  
USA

### Certificate of Analysis

SHIP TO:  
AEROSPACE PRODUCTS INTERN  
8655 COMMERCE DR STE 105

SOUTHAVEN, MS 38671

CUST.ORD 4500217064  
SHIPPER# 2339077

Customer Product: 0120456  
Material Number: 4055545 - ROYCO 950 MIL-PRF-7024F TYPE II/55 GALLON STEEL DRUM

Batch: 0681D00356

Manufacture Date: 01-Aug-14 Quantity:  
Review By Date: 31-Jul-16

DR

Characteristic	Unit	Result	Specification	Method
Appearance/Workmanship	-	Pass		Visual
Aromatics, Vol%	%[v/v]	< 1.0	≤ 20.0	ASTM D1319
Olefins, Vol%	%[v/v]	< 1.0	≤ 5.0	ASTM D1319
Benzene, Vol%	%[v/v]	< 0.01	≤ 0.01	ASTM D3606
Specific Gravity	SPG	0.766	0.765 - 0.775	ASTM D4052
Cu Strip Cor., 3h @100°C: 1B	-	1a		ASTM D130
Flash Point (TCC)	°C	43	≥ 38	ASTM D56
Doctor Test	-	Sweet (Negative)		ASTM D4952
Viscosity (25°C)	cSt	1.22	1.12 - 1.22	ASTM D445
Color, Saybolt	num	28	Report Only	ASTM D156
Distillation, IBP	°C	158	≥ 149	ASTM D86
Distillation, FBP	°C	200	≤ 210	ASTM D86
Distillation, Recovered	%	99.0	≥ 98.5	ASTM D86
Particulate Matter	mg/l	1.0	≤ 2.0	ASTM D2276
Existent Gum, mg/100mL	mg/100	< 0.5	≤ 5.0	ASTM D381
Total Acid Number	mgKOHg	0.001	≤ 0.015	ASTM D3242

CALIBRATING FLUID, MIL-PRF-7024F TYPE II  
Contains corrosion inhibitor and anti-oxidant.

U.S. Dept. of Defense and Commercial "Review by Date" is 2 years from date of Manufacture or Retested Date.

This document was electronically generated.

17-Sep-14 10:17:10

Page 1 of 2

ATTN: CHEMPOINT

Customer Product: 0120456  
Material Number: 4055545 - ROYCO 950 MIL-PRF-7024F TYPE II/55 GALLON STEEL DRUM

Characteristic	Unit	Result	Specification	Method
----------------	------	--------	---------------	--------

\*\*\* End \*\*\*

This document was electronically generated.

17-Sep-14 10:17:10

Page 2 of 2



# Material Safety Data Sheet

**ROYCO 950 MIL-C-7024E**

Version: 1.1

Revision Date: 06/01/2010

Print Date: 09/28/2011

## SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name: *ROYCO 950 MIL-C-7024E*

Product Use Description: Lubricant

Company: Anderol Specialty Lubricants, a division of Chemtura Corporation  
215 Merry Lane  
East Hanover, NJ  
07936  
United States of America

Emergency telephone: CHEMTREC: (24 hours) 800-424-9300  
: 703-527-3887

For additional emergency telephone numbers see section 16 of the Safety Data Sheet.

Prepared by: Product Safety Department  
(US) +1 866-430-2775

+011-886-2-2712-5668 MSDSRequest@chemtura.com

## SECTION 2. HAZARDS IDENTIFICATION

### Emergency Overview

#### **WARNING!**

Form: liquid

Colour: clear

Odour: hydrocarbon-like

Hazard Summary

: Flammable.  
Causes eye and skin irritation.

OSHA Hazards

: THIS MATERIAL IS HAZARDOUS UNDER THE CRITERIA OF  
THE FEDERAL OSHA HAZARD COMMUNICATION STANDARD  
29CFR 1910.1200.



# Material Safety Data Sheet

**ROYCO 950 MIL-C-7024E**

Version: 1.1

Revision Date: 06/01/2010

Print Date: 09/28/2011

## Potential Health Effects

- Primary Routes of Entry : Eye contact  
Skin contact
- Aggravated Medical Condition : Skin disorders
- Inhalation : May cause respiratory tract irritation.
- Skin : Causes skin irritation.  
Prolonged or repeated contact may dry skin and cause irritation.
- Eyes : Causes eye irritation.
- Ingestion : May be harmful if swallowed.  
Aspiration hazard if swallowed - can enter lungs and cause damage.
- Chronic Exposure : Long term exposure may cause effects in the following:  
Eyes  
Respiratory Tract  
Central nervous system  
Kidney

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Hazardous components

Component	CAS-No.	Weight percent
Stoddard solvent	8052-41-3	<= 100 %

## SECTION 4. FIRST AID MEASURES

### First aid procedures

- Inhalation : If inhaled  
Move to fresh air.  
If not breathing, give artificial respiration.  
If breathing is difficult, give oxygen.  
In case of bluish discoloration (lips, ear lobes, fingernails), give oxygen as quickly as possible.  
If symptoms persist, call a physician.
- Skin contact : In case of skin contact  
Wash off with soap and water.  
Remove contaminated clothing and shoes.  
Wash contaminated clothing before re-use.





## Material Safety Data Sheet

**ROYCO 950 MIL-C-7024E**

Version: 1.1

Revision Date: 06/01/2010

Print Date: 09/28/2011

Get medical attention if irritation develops and persists.

Eye contact : In case of eye contact  
Rinse thoroughly with plenty of water, also under the eyelids.  
If eye irritation persists, consult a specialist.

Ingestion : If swallowed, DO NOT induce vomiting.  
Consult a physician if necessary.

### SECTION 5. FIRE-FIGHTING MEASURES

#### Flammable properties

Flash point : 104 °F (40 °C)

Ignition temperature : Remarks: not determined

Lower explosion limit : Remarks: no data available

Upper explosion limit : Remarks: no data available

#### Fire fighting

Suitable extinguishing media : Carbon dioxide (CO<sub>2</sub>)  
Dry powder  
Foam  
Alcohol-resistant foam  
Water mist

Unsuitable extinguishing media : Water

Further information : In the event of fire, cool tanks with water spray.

#### Protective equipment and precautions for firefighters

Specific hazards during fire fighting : Do not use a solid water stream as it may scatter and spread fire.  
Burning produces irritant fumes.  
Exposure to decomposition products may be a hazard to health.

Special protective equipment for fire-fighters : In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.

### SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Use personal protective equipment.  
Ensure adequate ventilation.



# Material Safety Data Sheet

**ROYCO 950 MIL-C-7024E**

Version: 1.1

Revision Date: 06/01/2010

Print Date: 09/28/2011

- Environmental precautions : Should not be released into the environment.  
Do not contaminate water.  
Do not flush into surface water or sanitary sewer system.
- Methods for containment /  
Methods for cleaning up : Remove all sources of ignition.  
Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).
- Additional advice : Forms slippery/greasy layers with water.

## SECTION 7. HANDLING AND STORAGE

### Handling

- Handling procedures : Handle in accordance with good industrial hygiene and safety practice.  
Keep away from sources of ignition - No smoking.  
Take precautionary measures against static discharges.  
Ensure all equipment is electrically grounded before beginning transfer operations.  
Do not use pressure to empty drums.  
Keep container closed when not in use.

### Storage

- Requirements for storage  
areas and containers : Flammable.  
Keep away from heat and sources of ignition.  
Keep container tightly closed in a dry and well-ventilated place.
- Other data : Stable under recommended storage conditions.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Exposure Guidelines

#### Components with workplace control parameters

Components / CAS-No.	Value / Basis / Update	Control parameters	Further information
Stoddard solvent 8052-41-3	TWA  ACGIH  2007-01-01	100 ppm	
	TWA  OSHA P1	500 ppm 2,900 mg/m3	



# Material Safety Data Sheet

**ROYCO 950 MIL-C-7024E**

Version: 1.1

Revision Date: 06/01/2010

Print Date: 09/28/2011

	1997-08-04		
	TWA	100 ppm	
	OSHA P0	525 mg/m3	
	1989-01-19		

## Engineering measures

## Personal protective equipment

- Eye protection : Safety glasses with side-shields  
Tightly fitting safety goggles
- Hand protection : Neoprene gloves
- Skin and body protection : impervious clothing
- Respiratory protection : Breathing apparatus needed only when aerosol or mist is formed.  
In the case of vapour formation use a respirator with an approved filter.
- Hygiene measures : Avoid contact with skin, eyes and clothing.  
Provide adequate ventilation.  
Do not breathe dust or spray mist.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### Appearance

- Form : liquid
- Colour : clear
- Odour : hydrocarbon-like

### Safety data

- Flash point : 104 °F (40 °C)
- Ignition temperature : Remarks: not determined
- Lower explosion limit : Note: no data available
- Upper explosion limit : Note: no data available
- pH : Note: not applicable



## Material Safety Data Sheet

**ROYCO 950 MIL-C-7024E**

Version: 1.1

Revision Date: 06/01/2010

Print Date: 09/28/2011

Boiling point/boiling range : Note: no data available  
Vapour pressure : Note: no data available  
Specific Gravity : 0.77 at  
Water solubility : Note: slightly soluble

### SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid : Remarks: Heat.  
Materials to avoid : Remarks: Strong acids and strong bases  
Hazardous decomposition products : Note: Carbon oxides  
Hazardous reactions : Hazardous polymerisation does not occur.

### SECTION 11. TOXICOLOGICAL INFORMATION

Further information : No data is available on the product itself.

### 12. ECOLOGICAL INFORMATION

#### Further information on ecology

Additional ecological information : No information on ecology is available.

### SECTION 13. DISPOSAL CONSIDERATIONS

Further information : In accordance with local and national regulations.  
Contaminated packaging : Do not burn, or use a cutting torch on, the empty drum.

### SECTION 14. TRANSPORT INFORMATION

#### DOT

UN-Number : 1268  
Description of the goods : Petroleum distillates, n.o.s.  
: (Stoddard Solvent)



# Material Safety Data Sheet

**ROYCO 950 MIL-C-7024E**

Version: 1.1

Revision Date: 06/01/2010

Print Date: 09/28/2011

Class : 3  
Packing group : III  
ERG Code : 128

## IATA

UN-Number : 1268  
Description of the goods : Petroleum distillates, n.o.s.  
(Stoddard Solvent)

Class : 3  
Packing group : III

## IMDG

UN-Number : 1268  
Description of the goods : PETROLEUM DISTILLATES, N.O.S.  
(Stoddard Solvent)

Class : 3  
Packing group : III  
EmS Letter 1 : F-E  
EmS Letter 2 : S-E

Marine pollutant : no

## SECTION 15. REGULATORY INFORMATION

**OSHA Hazards** : This material is hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.

**SARA 311/312 Hazards** : Fire Hazard  
Acute Health Hazard  
Chronic Health Hazard

**The components of this product are reported in the following inventories:**

**REACH**

This mixture contains only ingredients which have been subject to a pre-registration according to Regulation (EC) No. 1907/2006 (REACH).



# Material Safety Data Sheet

ROYCO 950 MIL-C-7024E

Version: 1.1

Revision Date: 06/01/2010

Print Date: 09/28/2011


TSCA	On TSCA Inventory
DSL	All components of this product are on the Canadian DSL list.
AICS	On the inventory, or in compliance with the inventory
NZIoC	On the inventory, or in compliance with the inventory
ENCS	On the inventory, or in compliance with the inventory
KECI	On the inventory, or in compliance with the inventory
PICCS	On the inventory, or in compliance with the inventory
IECSC	On the inventory, or in compliance with the inventory

## SECTION 16. OTHER INFORMATION

### Further information

HMIS Classification : Health hazard: 2  
Flammability: 2  
Reactivity: 0

NFPA Classification : Health hazard: 2  
Fire Hazard: 2  
Reactivity Hazard: 0



### Other Emergency Phone Number

Latin America:	Brazil	+52 113 711 91 44
	All other countries	+44 (0)208 762 8322
Mexico:		+52 555 004 87 63



## Material Safety Data Sheet

**ROYCO 950 MIL-C-7024E**

Version: 1.1

Revision Date: 06/01/2010

Print Date: 09/28/2011

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

## SHIPPER'S DECLARATION FOR DANGEROUS GOODS

Shipper

A P I  
2461 46TH AVE  
LACHINE QC H8T 3C9

Waybill No.

Page 1 of 1 Pages

Shipper's Reference Number  
(optional)

Consignee

DART AEROSPACE  
1270 ABERDEEN STREET  
HAWKESBURY ON K6A 1K7

Two completed and signed copies of this Declaration must be handed to the operator.

## WARNING

Failure to comply in all respects with the applicable Dangerous Goods Regulations may be in breach of the applicable law, subject to legal penalties. This Declaration must not, in any circumstances, be completed and/or signed by a consolidator, a forwarder or an IATA cargo agent.

## NATURE AND QUANTITY OF DANGEROUS GOODS

Dangerous Good Identification				Quantity and type of packing	Packing Inst.	Authorization
Proper Shipping Name	Class or Divi- sion	UN or ID No.	Subsidiary Risk			
PETROLEUM DISTILLATES N.O.S. (STODDARD SOLVENT)	3	1268		3 Drums P.G. III 660 L 509 KGS		

Additional Handling Information

24 HR EMERGENCY PHONE # 1 800 262 8200

I hereby declare that the contents of this consignment are fully and accurately described above by the proper shipping name, and are classified, packaged, marked and labelled/placarded, and are in all respects in proper condition for transport according to applicable international and national governmental regulations

Name/Title of Signatory

Rw wm

Place and Date

LACHINE 11/04/14

Signature

(see warning above)

Rodney White